

## Occupant Load Recommendations:


ROOM DESCRIPTION	SIZE OF ROOM	MINIMUM OCCUPANCY	MAXIMUM OCCUPANCY
Building 61	645 SQ FT	10	26
Skill Center Ex. Hall	900 SQ FT	15	40
Skill Center Conference Room	215 SQ FT	4	10
James Henry Big Gym	6666 SQ FT	267	444
Multi-purpose Room	3725 SQ FT	269	293
Wellness Center Conference Room	780 SQ FT	26	39
Athletic Lobby	940 SQ FT	31	47
Healing Room	1255 SQ FT	42	63
Cafeteria Large Conference Room	1150 SQ FT	38	57
Cafeteria Executive Conference Room	290 SQ FT	10	15
Cafeteria Dining Area	5000 SQ FT	167	250
Russell Hawkins Conference Room	215 SQ FT	11	14

*\*Assembly use type rooms are calculated at 25 sq ft for minimum OL and 15 sq ft for max OL.*


*\*Educational use type rooms are calculated at 30 sq ft for minimum OL and 20 sq ft for max OL.*

## Exits and Aisle Width Recommendations:

- Exit doors and exit paths shall not be obstructed or blocked.
- Aisle width (chair setup): Minimum of 36 to 44 inches



- Chairs/seating rows shall not be greater than 7 chairs/seats when there is only one aisle at one end of the row.
- Chair/seating rows can increase to a maximum of 14 seats if an aisle is located on both ends of the row.
- The minimum clear width between rows shall not be less than 12 inches.



Updated by Joely Heavy Runner 10/16/2014